



# Eclipse latches

An integrated range, for all applications.  
The perfect solution for small hatches or large lockers.



# PULL LATCH HANDLE

**38.164.00** - Large ergonomic handle for an extremely easy grip, flush deck design.




## Eclipse anti-vibration pull latch handle

### EXTRA LARGE HANDLE


- Featuring an extremely easy grip:
- mirror-polished AISI316 stainless steel;
  - flush deck design;
  - large ergonomic handle;
  - spring retractable handle;
  - plastic spacer with marks for customized cut.

Code	External Ø mm	Bore Ø mm	Hatch thickness Ø mm
38.164.00	60	50	0-24



# PUSH LOCK

**38.163.01/02** - Easy opening from both inside and outside,  
flush deck design.




## Eclipse PUSH LOCK slam latch (push closure)

### EXTRA LARGE HANDLE

Featuring an extremely easy grip:

- mirror-polished AISI316 stainless steel;
- flush deck design;
- large ergonomic handle;
- spring retractable handle;
- it opens from inside and outside.

Code	Lock	For thickness mm	External Ø mm	Recess Ø mm
38.163.01	No	9-19	60	50
38.163.02	Yes	9-19	60	50



▲ 38.163.01



▲ 38.163.02




# LIFT & TURN compression latch

**38.161.XX** - Characterized by a particularly easy grip, they enclose all the best features of the pull latches in a single model.



Video



Key

## Eclipse LIFT & TURN compression latch - SMALL


### COMPRESSION SYSTEM

Featuring a very comfortable grip, it offers all the best characteristics in a single flush deck design model.

### EXTRA LARGE HANDLE

- Flush design;
- large ergonomic handle;
- 360° rotation;
- handle can be lowered every 90°;
- open/close indicator;
- ergonomic nut for easy calibration and emergency exit;
- straight cam suitable for sliding doors;
- two-position cam;
- plastic spacer with marks for customized cut.


Code	Lock	Outer Ø mm	Bore Ø mm	Bulkhead thickness mm	Stop stroke mm
38.161.01	No	60	50	3-26	22-94
38.161.02	Yes	60	50	3-26	22-94



▲ Universal straight cam included



▲ Spacer included



▲ Angled cam included




▲ 38.161.01



▲ 38.161.02



▲ Key for 38.161.02



## Eclipse LIFT & TURN compression latch - MEDIUM


### COMPRESSION SYSTEM

Featuring a very comfortable grip, it offers all the best characteristics in a single flush deck design model.

### EXTRA LARGE HANDLE

- Flush design;
- large ergonomic handle;
- 360° rotation;
- handle can be lowered every 90°;
- open/close indicator;
- ergonomic nut for easy calibration;
- ergonomic nut for emergency exit;
- straight cam suitable for sliding doors and having two different positions;
- two-position cam;
- plastic spacer with marks for customized cut.


Code	Lock	Outer Ø mm	Bore Ø mm	Bulkhead thickness mm	Stop stroke mm	Kit	No. of latches per kit (same key)
38.161.31	No	75	60	5-36	30-101	No	-
38.161.32	Yes	75	60	5-36	30-101	No	-
38.161.42	Yes	75	60	5-36	30-101	Yes	2
38.161.43	Yes	75	60	5-36	30-101	Yes	3
38.161.44	Yes	75	60	5-36	30-101	Yes	4
38.161.45	Yes	75	60	5-36	30-101	Yes	5



▲ Universal straight cam included



▲ Spacer included



▲ Angled cam included




▲ 38.161.31



▲ 38.161.32



▲ Key for 38.161.32;  
38.161.4x





### Eclipse LIFT & TURN compression latch - BIG



#### COMPRESSION SYSTEM

Featuring a very comfortable grip, it offers all the best characteristics in a single flush deck design model.

#### EXTRA LARGE HANDLE

- Flush design;
- large ergonomic handle;
- 360° rotation;
- handle can be lowered every 90°;
- open/close indicator;
- ergonomic nut for easy calibration and emergency exit;
- straight cam suitable for sliding doors and with two possible positions;
- plastic modular spacer for different thickness bulkheads.

Code	Lock	Outer Ø mm	Bore Ø mm	Bulkhead thickness mm	Stop stroke mm
38.161.51	No	100	87	5.5-33	30-103



▲ Angled cam included



▲ Spacer included



## ACCESSORIES

### Spares for Eclipse lift and turn latch

Their different shapes easily fit multiple hatches or applications.

Code	Description	Compatible models
38.161.80	Cam/lever	38.161.01/02/31/32/42/43/44/45/51
38.161.81	Cam/lever	38.161.01/02
38.161.82	Cam/lever	38.161.31/32/42/43/44/45
38.161.90	Spacers	38.161.01/02; 38.162.00; 38.152.40
38.161.91	Spacers	38.161.31/32/42/43/44/45



▲ 38.161.80



▲ 38.161.81



▲ 38.161.82



▲ 38.161.90



▲ 38.161.91

# QUICK CHOICE



Selected by the best shipyards





**Osculati S.r.l.**

Via Pacinotti, 12 - 20090 Segrate (MI)

Tel +39 02 2699 111 - [info@osculati.it](mailto:info@osculati.it)

**Osculati & C. S.p.A.**

Via di Sottopoggio - 55012 Capannori (LU)

Tel +39 0583 403 232 - [info@lucca.osculati.it](mailto:info@lucca.osculati.it)

**Code 70.199.30-01EN**

