

# Elissa and Nuvola deck showers

The evolution of stainless steel deck showers



# **NUVOLA** deck shower

# Comfortable and light weight




#### Nuvola deck shower with Keji shower head

#### STAINLESS LOOK

Housing with AISI316 stainless steel insert. Inclined at 45° for flat or vertical mounting. Fitted with Keji oversized shower head.

Code	←→  mm		Hose	Hose
	recess bore	outer dimensions		m
15.275.01	90x70	120x100	Net PVC	2.5
15.275.02	90x70	120x100	net PVC	4
15.275.11	90x70	120x100	SS	2.5
15.275.12	90x70	120x100	SS	4
15.275.21	90x70	120x100	White nylon	2.5
15.275.22	90x70	120x100	White nylon	4








#### Nuvola deck shower with mixer

#### STAINLESS LOOK

Chromed brass tap with ceramic mixer.

ASA housing with AISI316 stainless steel insert.

Code	←→  mm		
	recess bore	outer dimensions	
15.239.60	90x70	120x100	







### Nuvola quick-coupling hose connector


#### **STAINLESS** LOOK

It connects the onboard fresh water system or to the washdown salt water pump and it keeps the line under pressure. The washing hose plugs in onto the inlet and automatically activates the pump. UV resistant ASA box with AISI316 stainless steel insert, chromed brass device.

Code	←→  mm	
	recess bore	recess
16.444.00	90x70	52.5

17.224.01 OPTIONAL 1/2" elbow male fitting for connection to rear inlet tube.

36.189.01; 36.189.03; 36.189.04 OPTIONAL Front snap-in male fitting.








### Nuvola fresh water inlet

#### **STAINLESS** LOOK

When using dock water, this inlet reduces pressure to 3 bars to prevent damage to the piping system. The **snap-in** hose connector has a **gardening-type coupling** (see code 36.189.02). 3/4" male outlet thread.

UV-resistant ASA box with AISI316 stainless steel insert.

Code	←→  mm		
	recess bore	recess	
16.444.10	90x70	93/147	







# **ELISSA** deck shower

Elegant design, with strong material. A range of stainless steel deck housings.




# Elissa deck shower with Tiger shower head


**AISI 316** 

AISI316 stainless steel housing with self-supporting lid.

Fitted with Tiger stainless steel shower head and inside anti-vibration bushing.

Code	←→  mm		Hose	Hose
	recess bore	outer dimensions		m
15.303.00	90x70	118x97	net PVC	2.5
15.303.01	90x70	118x97	net PVC	4
15.303.30	90x70	118x97	Inox	2.5
15.303.31	90x70	118x97	Inox	4
15.303.60	90x70	118x97	white nylon	2.5
15.303.61	90x70	118x97	white nylon	4












# Elissa deck shower with Keji shower head

**AISI 316** 

AISI316 stainless steel shower housing with self-supporting lid.

Fitted with Keji overdimensioned shower head and inside anti-vibration bushing.

Code	←→  mm		Hose	Hose
	recess bore	outer dimensions		m
15.304.00	90x70	118x97	net PVC	2.5
15.304.01	90x70	118x97	net PVC	4
15.304.30	90x70	118x97	Inox	2.5
15.304.31	90x70	118x97	Inox	4
15.304.60	90x70	118x97	white nylon	2.5
15.304.61	90x70	118x97	white nylon	4










#### Elissa deck shower with mixer

**AISI 316** 

AISI316 stainless steel housing with self-supporting lid.

Fitted with cylindrical knob mixer.

Code	←→  mm		
	recess	outer dimensions	
17.239.90	90x70x46	118x97	











### Elissa quick fitting hose connector

**AISI 316** 


It connects to the onboard water system (fresh water) or to the washdown pump (salt water) and keeps the line under pressure.

The washing tube snaps into the plug and automatically activates the pump. AISI316 stainless steel compartment, self-supporting hatch.

Code	←→  mm		
	recess bore inside projection		
16.443.00	90x70	50	









#### Elissa hose connector for fresh water

**AISI 316** 

Ideal when you want to use quayside fresh water: it reduces the pressure to 3 bars


not to damage the pipes.

The quayside water pipe snaps into a gardening-like hose connector (see code 36.189.02). male 3/4" outlet thread.


AISI316 stainless steel compartment and self-supporting hatch.

Code	←→  mm		
	recess bore	inside projection	
16.443.10	90x70	97/151	





# **TIGER** and KEJI shower heads





Stainless steel



### Keji spare shower head

Lever-operated



Code	Model	Material
15.237.02	Push-button	Chromed plastic

# Elissa double deck shower

AISI 316 stainless steel, with mixer and Tiger or Keji shower head



**COMING SOON** 





# Osculati S.r.l.

Via Pacinotti, 12 - 20090 Segrate (MI) Tel +39 02 2699 111 - info@osculati.it

# Osculati & C. S.p.A.

Via di Sottopoggio - 55012 Capannori (LU) Tel +39 0583 403 232 - info@lucca.osculati.it

Code 70.199.30-02EN



